OKC-County Health Department 2400 NW 36th Street Oklahoma City, OK 73112 405-425-4347



Reduced Oxygen Packaging Fact Sheet

What is reduced oxygen packaging (ROP)?

- Encompasses a variety of packaging methods
- > Internal environment contains less than the normal ambient oxygen level
- Includes vacuum packaging (VP), modified atmosphere packaging (MP), controlled atmosphere packaging (CAP), cook-chill processing (CC), and sous vide (SV).

Benefits of ROP

- Provides extended shelf life
- Prevents growth of aerobic spoilage bacteria
- Time and labor savings
- Portion control and quality retention

What are the food safety concerns?

- Certain foodborne pathogens grow in a reduced oxygen environment
- Clostridium botulinum which can produce a deadly toxin the can cause paralysis and death
- Listeria monocytogenes can grow very slowly down to 30°F and can be fatal in high risk individuals.

Reduced oxygen packing without a variance 310:257-5-64

- > ROP with two barriers
 - Stored at or below 41°F and
 - A_w of 0.91 or less;
 - pH of 4.6 or less;
 - Cured, USDA inspected meat or poultry products
 - High levels of competing organisms
- > ROP with one barrier
 - Cook-chill
 - Sous vide
- ROP with Cheese
 - Limited to commercially manufactured in a food processing plant
 - No ingredients added in food establishment
 - Meet Standards of Identity for hard cheeses, pasteurized process cheese and semisoft cheeses
- ROP with Fish
 - Must be frozen before, during and after packaging

^{**}NOTE** HACCP Plan is required for ROP and must be approved by Oklahoma City-County Health Department before conducing ROP processes.